KEEP IN TOUCH

ADDRESS

Room 1308 ,No.11, Jinping Road ,HangZhou ,China

PHONE

0571-61719310

E-MAIL

info@jt-hz.com

WEBSIDE

www.moonfossil.net
https://ysindustrial.en.alibaba.com




your dream home awaits.

MOON FOSSIL


JUNTENG COMPANY




Extrusion WPC Decking:
Raw Material: 30% HDPE+60% wood fiber + 10% additives
* High degree of UV and color stablity
* Easy to install and low labor cost
* No painting, no glue, low cost on maintenance
* 100% recycled materials, environment protection
* Temperature durablity: -40℃ to 60℃



MFT135H25



MFT140C25-A




MFT146H24-A



MFT150C22




MFT150H25-C




MFT140S20



Extrusion WPC Decking:
Raw Material: 30% HDPE+60% wood fiber + 10% additives
* High degree of UV and color stablity
* Easy to install and low labor cost
* No painting, no glue, low cost on maintenance
* 100% recycled materials, environment protection
* Temperature durablity: -40℃ to 60℃



MFT140S23



MFT140S25-B




MFT145S22-B



MFT152C12



MFT167S21



MFG200H20



*For Ceiling and Wall decoration
*Applied in Shops,Hospitals, Kitchen, Balcony,Washroom etc
Packing
10pcs each bundle with shrink film, PE film or carton.

Interior WPC Wall Panel

Material:Wood+PVC+Additives
Width:300mm/400mm/600mm
Thickness:9mm.









* Hollow and Solid Co-extrusion WPC Decking
* Raw Material: 35% HDPE+60% wood fiber + 5% additives

Suprotect decking is the latest wpc decking produced by modern co extrusion technology. Simply speaking, the process is to extrude two materials and at the same time give the boards a natural layered appearance and more protection.



138C23



138C23



138C23



138S23-A



138S23-B



138S23-A2



Packaging Details:
PE&Pallet,or As Your Request
Cartons Boxes for Special
Need

Installation Guide









It will take 15 to 20 days after receiving your advance payment. The specific delivery time depends on the items and the quantity of your order

Welcome inquiry

